

SUZUKI PERFORMANCE NOTEBOOK

Lake Altoona, GA

Suzuki Marine

Test Date: 10-14-14

Test Boat: Silver Wave

Boat Type: Pontoon

Test Motor: DF250SS



BOAT		ENGINE		OTHER SPECS	
250 SB		Suzuki DF250SS		Propeller	
Material	Aluminum	Engine Type	4-Stroke V-6	Material	Stainless
Length	25' 10"	HP	250	Diameter/Pitch	16x18.5
Beam	8' 6"	Displacement	4.0 Liter	Number of Blades	3
Weight	2550 lb.s	Operating Range	5300-6300	Mounting Height	
Maximum HP	250	Weight	580 lbs	Hole Position	2nd Hole
Fuel Capacity	47 gallons	Lubrication	Wet Sump	Jack Plate	N/A
Transom Height	20"	Fuel Delivery	Multi-Point EFI		
Steering	Hydraulic	Ignition	Solid State		

PERFORMANCE DATA					TEST CONDITIONS	
RPM	MPH	GPH	MPG	RANGE	Water Conditions	Light Chop
IDLE	3.5	0.4	8.75	370	Wind Velocity	5 to 10
1000	4.8	0.9	5.33	226	Air Temperature	65 degrees
1500	7.2	1.6	4.50	190	Fuel Load	1/2
2000	10.7	2.5	4.28	181	Weight Onboard	2 persons
2500	15.7	3.7	4.24	179		Full Safety Gear
3000	20.2	5.5	3.67	155	PERFORMANCE SUMMARY	
3500	24.3	8.0	3.04	128	Top Speed	50.6
4000	28.7	11.2	2.56	108	0-20 Acceleration	4.4 seconds
4500	32.9	14.3	2.30	97	Optimum Cruising	@ 3000 RPM
5000	37.2	19.7	1.89	80	Range	165 Miles
5500	43.9	21.3	2.06	87	Best Cruising	@ 3000 RPM
6000	48.1	23.7	2.03	86	Fuel Efficiency	3.67 MPG
6050	50.6	24.3	2.08	88		
Results may vary. Range based on 90% fuel capacity.						

FOR MORE INFORMATION, CONTACT:

Silver Wave Boats
711 Boren Blvd.
Seminole, OK 74868
silverwaveboats.com

Suzuki Marine
www.suzuki.com

