

SUZUKI PERFORMANCE NOTEBOOK

Lake Murray, SC

Suzuki Marine

Test Date: 9-21-17

Test Boat: SeaPro Boats

Boat Type: Deep V CC

Test Motor: Suzuki DF350ATX2



BOAT		ENGINE		OTHER SPECS	
239 Deep V CC		Suzuki DF350ATX2		Propeller	
Material	Fiberglass	Engine Type	V6 (55deg)	Material	Stainless Steel
Length	23' 9"	HP	350	Diameter/Pitch	15.50 X 22.5
Beam	8' 10"	Displacement	4390cc	Number of Blades	6 (twin 3 blade)
Weight	3300 lb.s	Operating Range	5700-6300	Mounting Height	
Maximum HP	350	Weight	727 lb.s	Hole Position	4th Hole Up
Fuel Capacity	102 gallons	Lubrication	Wet Sump	Jack Plate	NA
Transom Height	25"	Fuel Delivery	Multi-Point EFI		
Steering	Hydraulic	Ignition	Solid State		

PERFORMANCE DATA					TEST CONDITIONS	
RPM	MPH	GPH	MPG	RANGE	Water Conditions	Calm
IDLE	3.5	0.6	6.03	554	Wind Velocity	0-5 mph
1000	5.6	1.2	4.83	443	Air Temperature	84 deg
1500	7.2	2.0	3.61	331	Fuel Load	50 gal.
2000	8.5	3.2	2.66	244	Weight Onboard	2 person
2500	11.7	5.1	2.29	211		Full Gear, Hard Top
3000	21.5	6.5	3.31	304		2 Batteries
3500	27.5	8.2	3.35	308	PERFORMANCE SUMMARY	
4000	33.7	11.3	2.98	274	Top Speed	54.2 mph
4500	39.0	14.3	2.73	250	0-30 Acceleration	6.78 seconds
5000	44.5	19.2	2.32	213	Optimum Cruising	@ 3500 RPM
5500	49.3	23.4	2.11	193	Range	308 Miles
6000	53.6	27.9	1.92	176	Best Cruising	@ 3500 RPM
6200	54.2	29.1	1.86	171	Fuel Efficiency	3.35 MPG
Results may vary. Range based on 90% fuel capacity.						

FOR MORE INFORMATION, CONTACT:

SeaPro Boats
Whitmire, SC
803-694-2644
<http://www.seapromfg.com>

Suzuki Marine
www.suzuki.com

