

SUZUKI PERFORMANCE NOTEBOOK

ST Petersburg, FL

Suzuki Marine

Test Date: 4-10-2013

Test Boat: Caravelle

Boat Type: Dual Console

Test Motor: Suzuki DF60A



BOAT		ENGINE		OTHER SPECS	
2013 Caravelle 17 EBO		Suzuki DF60A		Propeller	
Material	Fiberglass	Engine Type	4-Stroke 4 Inline	Material	Stainless Steel
Length	16' 8"	HP	60	Diameter/Pitch	11.75 x 15
Beam	90"	Displacement	941cc	Number of Blades	3
Weight	1520 lb.s	Operating Range	5300-6300	Mounting Height	
Maximum HP	115	Weight	229 lb.s	Hole Position	1st hole
Fuel Capacity	23 gallons	Lubrication	Wet Sump	Jack Plate	N/A
Transom Height	20	Fuel Delivery	Multi-Point EFI		
Steering	Hydraulic	Ignition	Solid State		

PERFORMANCE DATA					TEST CONDITIONS	
RPM	MPH	GPH	MPG	RANGE	Water Conditions	Light Chop
IDLE	2.5	0.1	25.00	518	Wind Velocity	5 mph
1000	3.3	0.2	16.50	342	Air Temperature	76 degrees
1500	4.8	0.3	16.00	331	Fuel Load	10 gallons
2000	6.0	0.5	12.00	248	Weight Onboard	2 persons
2500	6.9	0.9	7.67	159		Full Safety Gear
3000	8.2	1.4	5.86	121	PERFORMANCE SUMMARY	
3500	10.9	1.9	5.74	119	Top Speed	32.0 mph
4000	20.1	2.1	9.57	198	0-25 Acceleration	9.7 seconds
4500	24.3	2.8	8.68	180	Optimum Cruising	@ 4000 RPM
5000	28.0	3.5	8.00	166	Range	198 Miles
5500	31.2	4.2	7.43	154	Best Cruising	@ 4000 RPM
5900	32.0	4.8	6.67	138	Fuel Efficiency	9.57 MPG

Results may vary. Range based on 90% fuel capacity.

FOR MORE INFORMATION, CONTACT:

Caravelle Boat Group
111 Mathews Drive
Americus, GA 31709
www.caravelleboats.net

Suzuki Marine
www.suzuki.com

